

## TECHNICAL DATASHEET

# TR200 DUOFLEX Fleece 50 g

TR200 DUOFLEX Fleece 50 g is a non woven polyester fleece used as reinforcement in the Duoflex hot-melt waterproofing system.

## Composition & packing \_\_\_\_\_

Composition	non woven polyester	
Mass (g/m²)	50	
Dimensions of the roll (m)	200 x 1	
Mass of the roll (kg)	10	

Store upright in a dry place, protected against moisture and sunlight.

### Characteristics

Membrane thickness (mm)	MDV	0,23	
Tensile force L (N/50 mm)	MDV	150	
Tensile force T (N/50 mm)	MDV	70	
Elongation at rupture L (%)	MDV	32	
Elongation at rupture T (%)	MDV	36	
Tear strength L (N)	MDV	30	
Tear strength T (N)	MDV	42	
Shrinkage L (%)	MDV	-4,5	
Shrinkage T (%)	MDV	0,9	•

<b>Instal</b>	1 - 4 5 - c
Inctal	Iation

TR200 DUOFLEX Fleece 50 g is used as reinforcement in the Duoflex hot-melt waterproofing system.

#### **Special indications**

#### Hygiene, Health and Environment

The product does not contain any substance which is likely to be detrimental to your health or to the environment and complies with generally admitted Health and Safety Requirements.

#### Quality-, Environment- and Safety Management

**SOPREMA** always recognises as a high level of importance the quality of the products, the environment and safety. For this reason, we operate independently monitored Quality and Environment Assurance Systems in line with **EN ISO 9001** and **EN ISO 14001**.

SOPREMA reserves the right to amend the composition of its material and consequently their prices, without prior notice. For this reason, all orders will be accepted only in accordance with the conditions and technical specifications in force at the date of order.

Contact: www.Soprema.com

