



BCCA

CERTIFICATE OF CONFORMITY

001-BK-513-0300-0002-T001

In compliance with the European Insulation Keymark Scheme Rules for Thermal Insulation Products, BCCA attests that the factory made product, as listed in the annex to this certificate, of extruded polystyrene foam (XPS) used for the thermal insulation of buildings

placed on the market by

Certificate holder:

SOPREMA NV
Bouwelven 5 - BE - 2280 GROBBENDONK

and produced in the factory

Production site:

SOPREMA NV
BE - TONGEREN

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the empowered body - BCCA - has performed the initial type-testing for the relevant characteristics of the product as listed in the annex of this certificate, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control and an audit-testing of samples taken at the factory.

This certificate attests that all provisions concerning the evaluation of conformity mentioned in

**Evaluation of conformity
and testing basis:**

**European Insulation Keymark Scheme Rules
for Thermal Insulation Products 2.1 (2019-09-23)**


EN 13164 : 2012 + A1 : 2015

were applied. This certificate entitles the certificate holder to use the Keymark logo in conjunction with the certificate number.

This certificate was issued on 2022-10-24 and remains valid until 2024-10-23 provided that the conditions laid down in the European Insulation Keymark Scheme Rules for Thermal Insulation Products 2.1 (2019-09-23) are fulfilled and the manufacturing conditions in the factory and the FPC itself are not modified significantly and as long as the surveillance by BCCA is continued with a positive result. The validity of this certificate shall be confirmed by BCCA once a year. On any substantiated request, BCCA will give information about the validity of the certificate.

N° Certificate 001-BK-513-0300-0002-T001 | Valid from 2022-10-24 until 2024-10-23

Issued in Brussels, on 2022-10-24.


ir. B. De Blaere,
President of the General Management
Committee for Certification & Approval

The validity of this certificate can be checked on the website www.bcca.be.

BELGIAN CONSTRUCTION CERTIFICATION ASSOCIATION VZW

OPERATIONAL OFFICE : HERMESLAAN,9 BE-1831 DIEGEM
REGISTERED OFFICE : CANTERSTEEN, 47 BE-1000 BRUSSELS

TEL. + 32 2 238 24 11
MAIL@BCCA.BE | WWW.BCCA.BE



Empowerment
ID Code: 001



021 PROD

Annex to the CEN Keymark Certificate of Conformity
001-BK-513-0300-0002-T001

Productname: SOPRA XPS CW


Technical data:

SOPRA XPS CW	
XPS-EN 13164-T1-DS(70,90)-DLT(2)5-CS(10Y)250-WL(T)0,7	
Thermal Conductivity λ_D (W/m.K)	$30 \leq d \leq 60$ mm : 0,033
	$60 < d \leq 100$ mm : 0,035
Thickness Range (mm)	30 - 100
Reaction to Fire (Euroclass)	E

Data sheet: See www.keymark.eu for the technical data sheet to the above mentioned certificate number.

This annex was issued on 2022-10-24 and remains valid until 2024-10-23 provided that the CEN Keymark Certificate of conformity with number 001-BK-513-0300-0002-T001 is valid and the conditions laid down in the European Insulation Keymark Scheme Rules for Thermal Insulation Products 2.1 (2019-09-23) are fulfilled and the manufacturing conditions in the factory and the FPC itself are not modified significantly and as long as the surveillance by BCCA is continued with a positive result. On any substantiated request, BCCA will give information about the validity of this annex.

Issued in Brussels, on 2022-10-24.



ir. B. De Blaere,
President of the General Management
Committee for Certification & Approval