

## **DECLARATION OF CONFORMITY**

N° WPSUK0001

Unique identification code of the product type: **VERSITEX A** 

Intended use(s): PVC membrane for waterproofing of roofing

Manufacturer: Soprema UK Limited

Freebournes House Freebournes Road

Witham

**Essex CM8 3US** 

System(s) of AVCP: system 2+

Designated standard: EN 13956:2012

Approved body/ies: 0836 -0407

Declared performances

Essential characteristics			Performances	Test standard	Designated standard
External fire performance (note 1)		F <sub>ROOF</sub> (t1, t2, t3, t4)	EN 13501-5		
Reaction to fire		E	EN 11925-2 EN 13501-1		
Watertightness			conform	EN 1928 met B	EN 13956: 2012
Maximum tensile forse Elongation at maximum tensile forse		(N/50 mm) (%)	≥ 900 ≥ 35	EN 12311-2 met A	
Resistance to impact		(mm)	≥ 600	EN 12691 met A	
Resistance to root penetration			conform	EN 13948	
Resistance to static loading		(kg)	≥ 20	EN 12730 met A	
Resistance to tear		(N)	≥ 200	EN 12310-2	
Joint properties:	peel resistance shear resistance	(N/50 mm) (N/50 mm)	≥ 200 ≥ 800 (rupture outside joint)	EN 12316-2 EN 12317-2	
Durability: exposure to UV, heat and water			grade 0	EN 1297	
Foldability at low temperature		(°C)	≤ -25	EN 495-5	
Dangerous substances			conform	-	

NPD = no performance determined

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of conformity is issued, in accordance with UK Regulation, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Marnix Derks, Technical Director Witham, 17/11/2022

DoC-UK-WPSUK0001.a/EI

<sup>1)</sup> since external fire performance depends on the other components of the roof build-up, no performance can be given