

DECLARATION OF CONFORMITY

N° WPSUK0002

Unique identification code of the product type: **VERSITEX MF**

Intended use(s): PVC membrane for waterproofing of roofing

Manufacturer: Soprema UK Limited

Freebournes House Freebournes Road

Witham

Essex CM8 3US

System(s) of AVCP: system 2+

Designated standard: EN 13956:2012

Approved body/ies: 0836 -0407

Declared performances

Essential characteristics			Performances	Test standard	Designated standard
External fire performance (note 1)		F _{ROOF} (t1, t2, t3, t4)	EN 13501-5		
Reaction to fire		E	EN 11925-2 EN 13501-1		
Watertightness			conform	EN 1928 met B	EN 13956: 2012
Maximum tensile force Elongation at maximum tensile force		(N/50 mm) (%)	≥ 950 ≥ 15	EN 12311-2 met A	
Resistance to impact		(mm)	≥ 600	EN 12691 met A	
Resistance to root penetration			conform	EN 13948	
Resistance to static loading		(kg)	≥ 20	EN 12730 met A	
Resistance to tear		(N)	≥ 180	EN 12310-2	
Joint properties:	peel resistance shear resistance	(N/50 mm) (N/50 mm)	≥ 200 ≥ 600 (rupture outside joint)	EN 12316-2 EN 12317-2	
Durability: exposure to UV, heat and water		grade 0	EN 1297		
Foldability at low temperature		(°C)	≤ -25	EN 495-5]
Dangerous substances			conform	-	

NPD = no performance determined

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of conformity is issued, in accordance with UK Regulation, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Marnix De

Marnix Derks, Technical Director Witham, 17/11/2022

DoC-UK-WPSUK0002.a/EI

¹⁾ since external fire performance depends on the other components of the roof build-up, no performance can be given